ErrorEmail Documentation

Release 0.1.6

Eric Larson

Contents

1	ErrorEmail1.1What does it do?	3 3
2	Installation	5
3	Usage	7
4	Contributing 4.1 Types of Contributions	10
5	Credits5.1 Development Lead5.2 Contributors	13 13 13
6	Indices and tables	15

Contents:

Contents 1

2 Contents

ErrorEmail

Send an error email when an you get an exception.

Free software: BSD licenseDocumentation: See Below

1.1 What does it do?

Here is how it works:

```
with ErrorEmail(email_config):
   do_stuff()
```

If do_stuff raises an exception, it will send an email with the traceback. That's it.

1.2 Configuration

The ErrorEmail context manager accepts a configuration dictionary that defines the To, From and SMTP server information. Here is an example:

```
{
  'SERVER': 'smtp.myhost.com',
  'PORT': 25,
  'TO': ['foo@bar.com', 'baz@bar.com'],
  'FROM': 'erroremailer@myhost.com',
}
```

ErrorEmail doesn't have robust email support at the moment. I'm happy to accept pull requests!

CHAPTER 2

Installation

At the command line:

\$ easy_install erroremail

Or, if you have virtualenvwrapper installed:

\$ mkvirtualenv erroremail

\$ pip install erroremail

Usage

To use ErrorEmail in a project:

import erroremail

8 Chapter 3. Usage

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/ionrock/erroremail/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with "bug" is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with "feature" is open to whoever wants to implement it.

4.1.4 Write Documentation

ErrorEmail could always use more documentation, whether as part of the official ErrorEmail docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/ionrock/erroremail/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome:)

4.2 Get Started!

Ready to contribute? Here's how to set up erroremail for local development.

- 1. Fork the *erroremail* repo on GitHub.
- 2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/erroremail.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv erroremail
$ cd erroremail/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 erroremail tests
$ python setup.py test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

- 1. The pull request should include tests.
- 2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
- 3. The pull request should work for Python 2.6, 2.7, 3.3, and 3.4, and for PyPy. Check https://travisci.org/ionrock/erroremail/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

\$ python -m unittest tests.test_erroremail

4.4. Tips 11

Credits

5.1 Development Lead

• Eric Larson <eric@ionrock.org>

5.2 Contributors

None yet. Why not be the first?

14 Chapter 5. Credits

CHAPTER 6

Indices and tables

- genindex
- modindex
- search